

Prescription Treatment® brand  
**AVERT**®

**Cockroach Bait Stations Formula 1**

Formula 1

**KILLS:** Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains).

**FOR USE IN AND AROUND:** Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

Not for use in Federally inspected meat and poultry plants.

**ACTIVE INGREDIENT:**

Abamectin ..... 0.05%

**INERT INGREDIENTS:** ..... 99.95%

**EPA Reg. No. 499-467    EPA Est. No. 56207-WI-002<sup>A</sup>    EPA Est. No. 499-MO-1<sup>B</sup>**

(See code in lot number.)

**KEEP OUT OF REACH OF CHILDREN AND PETS  
CAUTION**

See below for additional Precautionary Statements.

Whitmire Micro-Gen Prescription Treatment® brand Avert® Cockroach Bait Station is a slow acting insect bait. For best results, placement of the bait should be into or near insect harborage sites.

**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**COCKROACHES :** Concentrate treatment at insect activity sites, and other sites where these insects are found.

1. Remove bait from container.
2. For thorough roach control, use as many baits as necessary to achieve good coverage and control of the existing infestation for the treated area.
3. For best results, place the baits next to the wall along baseboards, in corners, under sinks, in cabinets and near plumbing fix-

tures. Use under and around equipment and appliances. If possible place in voids.

4. Baits work best on horizontal surfaces touching corners and walls. If you apply a bait on a vertical surface, use the enclosed stickers.
5. Replace baits when necessary, approximately every 3 months.

**APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

**STORAGE & DISPOSAL**

**STORAGE:** Store in a cool, dry area inaccessible to children.

**DISPOSAL:** Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS**

**STATEMENT OF PRACTICAL TREATMENT**

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

**A Prescription Treatment® brand insecticide from:**

Whitmire Micro-Gen Research Laboratories, Inc.  
3568 Tree Court Industrial Blvd.  
St. Louis MO 63122-6682  
www.wmmg.com

© 1998 Whitmire Micro-Gen Research Laboratories, Inc.