

# Prescription Treatment<sup>®</sup> brand **INSPECTOR<sup>®</sup>**

## Pressurized Contact Insecticide

Formula 1

This product is recommended for use as an aid for inspections, to determine the presence of insects, their locations and an indication of the size and distribution of the infestation.

**KILLS:** Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

**FOR USE IN AND AROUND:** Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Food Processing Plants, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks and Planes<sup>1</sup>), Utilities, Warehouses, and other Commercial and Industrial Buildings. <sup>1</sup> Do not use in aircraft cabins.

### ACTIVE INGREDIENTS:

Pyrethrins .....	0.5%
Piperonyl Butoxide, Technical* .....	1.0%
n-Octyl Bicycloheptene Dicarboximide .....	1.0%

### INERT INGREDIENTS:

.....	97.5%
-------	-------

\*Equivalent to 0.8% (Butylcarbityl)(6-Propylpiperonyl) Ether and 0.2% Related Compounds

EPA Reg. No. 499-417 EPA Est. No. 499-MO-1

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See below for additional precautionary statements.

### DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**HOW TO USE INSPECTOR<sup>®</sup>:** Use INSPECTOR<sup>®</sup> with the supplied actuator, injection tubes or other Whitmire Micro-Gen equipment. Do not use in aircraft cabins.

#### CRACKS, CREVICES AND CLOSED VOIDS

Inject INSPECTOR<sup>®</sup> into cracks and crevices or closed void areas where insects may be harboring, living or breeding. For cracks, crevices, holes and other small openings, inject approximately one-second of product. For closed voids calculate the void's cubic volume and treat at the rate of five to ten seconds per three cubic feet. For inaccessible voids drill small holes and inject product. Several holes may be required in long-running voids. Insects that are contacted will be flushed from their harborage sites.

#### DIRECTED CONTACT

Direct INSPECTOR<sup>®</sup> into open void areas in and/or around equipment, stored items, stoves, cabinets, cooking equipment, washers, dryers and refrigerators. Other areas that may be inspected are void areas around stored food, cleaning supplies, attics and crawl spaces. Directed contact applications may be made in these sites. For directed contact applications, release 1 to 3 seconds of product per inspection site. Insects that are contacted will be flushed from their harborage sites. For directed contact applications on exposed surfaces, apply INSPECTOR<sup>®</sup> from a distance of at least 18 inches. Repeat as necessary.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool area away from heat or open flame.

**PESTICIDE DISPOSAL:** Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

### PRECAUTIONARY STATEMENTS

#### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove patient to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, or foodstuffs. Remove all pets and birds. For aquariums, remove or cover and turn off air pumps (if conditions permit).

**IN HOSPITALS:** Remove patients prior to treating the facility. Ventilate area for two hours prior to returning patients.

**FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:** Foods should be removed or covered during general volumetric treatment. After general volumetric treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. Careful Crack and Crevice<sup>®</sup> application for inspection purposes is permissible at all times. In food handling establishments, do not apply as a space spray while food processing is underway.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to inter-tidal areas below the mean high water mark. Apply this product only as specified on this label.

#### PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

For best results product should be used when can temperature is above 60° F. If can temperature is below 60° F, store at room temperature until a temperature above 60° F is reached.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



**A Prescription Treatment<sup>®</sup> brand insecticide from:**

Whitmire Micro-Gen Research Laboratories, Inc.  
3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682 www.wmmg.com  
© 1998 Whitmire Micro-Gen Research Laboratories, Inc.

Revised: 11/98