

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION

Harmful if absorbed through the skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not contaminate food or feed. Do not apply directly to food. Do not apply to classrooms when in use. Do not apply this product in occupied patient rooms or in any rooms while occupied by the elderly or infirm.

STATEMENT OF PRACTICAL TREATMENT-If on skin: Wash with plenty of soap and warm water. Get medical attention if irritation persists. **If inhaled:** Remove victim to fresh air. Apply respiration if indicated. **If Swallowed:** Call a physician or Poison Control Center. **Note to Physician:** Inducing vomiting as first aid for this product may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

PHYSICAL OR CHEMICAL HAZARDS- Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in the vicinity of open flame or pilot lights.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do Not Use As A Space Spray. Spray on surfaces only. Hold container upright while spraying. Direct nozzle approximately 12 inches from surface to be treated. Spray away from self and other persons. Do not allow children in treated area until spray has dried. Do not use in aircraft cabins.

PERMITTED AREAS OF USE INCLUDE, BUT ARE NOT LIMITED TO:

RESIDUAL PEST CONTROL: Homes, apartment buildings, laboratories, hospitals (nonoccupied patient areas), nursing homes (nonoccupied patient areas), hotels, motels, kennels, stables, schools, nurseries, stores, warehouses, restaurants, kitchens, cafeterias, dairies, dairy products processing plants, milk storage rooms, supermarkets, egg processing plants, bakeries, bottling plants, wineries and similar structures, breweries, institutions, manufacturing canneries, frozen food plants, cereal processing and manufacturing plants, pickle factories, grain mills, granaries, spice plants, food manufacturing, processing and servicing establishments.) **Transportation-Aircraft** (except aircraft cabins), buses, trucks, trailers, marine vessels, railcars;

Storage-Commercial, industrial, apartment, office, storage buildings.

CRACK AND CREVICE AND SPOT APPLICATION: Cockroaches, Spiders, Crickets, Silverfish, Firebrats. Do not spray directly on plastic, painted, varnished surfaces or into any electronic equipment such as radios, televisions, computers, etc. **For Crack and Crevice-**Use injector tip, releasing approximately 1 second spray per spot. For serious infestations, spray spots approximately 12 inches apart; for light infestations, spray approximately 3 feet apart. Spray into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. **For Spot Spray-**Apply directly on insects in these locations when possible. Repeat as necessary. Spot treatments may also be made to areas including, but not limited to, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers and similar areas.

CRAWLING INSECTS: Sowbugs, Pillbugs, Millipedes, Centipedes, Bedbugs, Earwigs and Ticks-Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Spray around foundations and porches. Repeat as necessary.

FLYING INSECTS: Wasps, Bees, Yellow Jackets and Hornets-Application to nests should be made late in the evening when insects are at rest. Apply directly. Thoroughly spray nest, entrance and surrounding areas where insects may land or rest.

Flies, Mosquitoes, Gnats, Flying and Clothes Moths: Use as a surface spray only. Apply directly to walls, ceilings, window screens, and other flying insect resting areas as a residual surface treatment. May be used inside residential buildings, as well as in and around carports, garages, and storage sheds.

Ants: Apply to any trails, around doors and windows and other places where ants may be found.

PANTRY PESTS: Carpet, Confused, Red Flour, Drugstore, Cigarette, Sawtoothed and Merchant Grain Beetles and Lesser Grain Borers-Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and door frames, under siding, in machinery and in dark secluded areas. Repeat as necessary.

For long lasting residual action, allow residue to remain undisturbed as this product will keep on killing for weeks.

For control of above-ground termites in localized areas, apply to voids and galleries in damaged wood, and in spaces between wooden structural members and between the sill plate and foundation where wood is vulnerable. Applications may be made to inaccessible areas by drilling, and then injecting with a void injector into the damaged wood or wall voids. These applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement for controlling active infestations of subterranean termites. Termite carton nests in building voids may be injected using a void injector. It is desirable to physically remove carton nest material from building voids when such nests are found. This type of application is intended to be a supplemental treatment for control of drywood and above-ground subterranean termites and other wood-infesting insects.

For control of carpenter ants in houses and other structures, apply as a general surface, spot, crack and crevice or wall void application. Repeat treatments when necessary. Apply around doors and windows and other places where carpenter ants may enter the premises. Spray into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area. **For control of carpenter bees in structures,** spray the liquid directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

APPLICATION WITHIN FOOD AREAS AND NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS
FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared, or served.

1. FOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Also includes some SERVING AREAS.

FOOD SERVING AREAS: SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is exposed and the facility is in operation.

Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under NON-FOOD SERVING AREAS below.

Use Restrictions: FOOD AREA application is limited to CRACK AND CREVICE TREATMENT ONLY. Applications to other areas are not permitted.

Application Directions: Apply in small amounts directly into cracks and crevices using void injector directly into cracks and crevices. In points between elements of construction, between equipment and floor openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Do not apply directly to food. Reapplications may be made at 10-day intervals.

2. NON-FOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some SERVING AREAS.

NON-FOOD SERVING AREAS: SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered NON-FOOD AREAS when food is not exposed and the facility is not in operation. Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards, under elements of constructions into cracks and crevices. Avoid treating surfaces likely to be contacted by food. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment.

OTHER NONFOOD AREAS-Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.



Manufactured by
WATERBURY COMPANIES, INC.
P.O. Box 1812
Waterbury, CT 06722
Made in USA



RESIDUALS

Low 20% VOC Formulation

Intruder[®] HPX-20
RESIDUAL WITH CYFLUTHRIN

- Provides Rapid Control of Residential and Industrial Pests
- Quick Knockdown
- Solvent System

KILLS: CRAWLING INSECTS- Cockroaches, Ants, Spiders, Crickets, Silverfish, Sowbugs, Pillbugs, Millipedes, Centipedes, Firebrats, Earwigs, Bedbugs and Ticks; **FLYING INSECTS-** Wasps, Bees, Flies, Yellowjackets, Hornets, Gnats, Mosquitoes, Flying and Clothes Moths; **PANTRY PESTS-** Carpet, Confused, Red Flour, Drugstore, Cigarette, Sawtoothed and Merchant Grain Beetles and Lesser Grain Borers;

WOOD INFESTING PESTS-Above-Ground Termites (Subterranean, Formosan, Drywood), Carpenter Ants and Carpenter Bees

PERMITTED AREAS OF USE INCLUDE, BUT ARE NOT LIMITED TO: Homes, Apartment Buildings, Laboratories, Hospitals (non-occupied patient areas), Nursing Homes (non-occupied patient areas), Institutions, Hotels, Motels, Kennels, Stables, Schools, Nurseries, Stores, Warehouses, Aircraft (except Aircraft Cabins), Buses, Trucks, Trailers, Marine Vessels, Railcars; Commercial, Industrial, Apartment, Office, Storage Buildings, Restaurants, Kitchens, Cafeterias, Dairies, Dairy Processing Plants, Milk Storage Rooms, Supermarkets, Egg Processing Plants, Bakeries, Bottling Plants, Wineries and Similar Structures, Breweries, Manufacturing Canneries, Frozen Food Plants, Cereal Processing and Manufacturing Plants, Pickle Factories, Grain Mills, Granaries, Spice Plants, Food Manufacturing, Processing and Servicing Establishments

ACTIVE INGREDIENTS:

Cyfluthrin ((CAS#68359-37-5).....	0.10%
Pyrethrins.....	0.05%
*Piperonyl Butoxide, technical.....	1.00%
INERT INGREDIENTS	98.85%
	100.00%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds. Contains Petroleum Distillates Contains no CFCs or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants in Aerosols.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-201 • EPA Est. No. 9444-LA-1

NET WEIGHT 20 oz / 567 g

