

38L34-324CBBR-9-Rev. 4/98 (PNT 9/01)

CRACK AND CREVICE INJECTION USE ONLY

**PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals**

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician — Atropine Sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
If Swallowed: Call a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes: Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.
CRAWLING PESTS: Cockroaches, Waterbugs, Spiders, Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes, and Centipedes—Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.
BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.
ANTS: Spray into nests, trails and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.
GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of **BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES** and **CLOVER MITES:** Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.
For **TERMITES:** Inject 5-10 seconds spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment but is merely a supplemental treatment. For control of above-ground termites in localized areas, apply to voids and galleries in damaged wood, and in spaces between wooden structural members and between the sill plate and foundation where wood is vulnerable. Applications may be made to inaccessible areas by drilling, and then injecting with a void injector into the damaged wood or wall voids. Termite carton nests in building voids may be injected using a void injector. It is desirable to physically remove carton nest material from building voids when such nests are found. This type of application is intended to be a supplemental treatment for control of drywood and above-ground subterranean termites and other wood-infesting insects. This product is intended to kill workers or winged reproductive forms which may be present in the treated areas.
Localized treatment of wood destroying insects: **CARPENTER ANTS** and **CARPENTER BEES**—Locate source of infestation. Inject 5-10 seconds of spray into insect tunnels and cavities. For control of carpenter ants in houses and other structures, apply as a spot, crack and crevice or wall void application. Repeat treatments when necessary. Apply around doors and windows and other places where carpenter ants may enter the premises. Spray into cracks and crevices or through small drilled holes into voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area. For control of carpenter bees in structures, spray the liquid directly into gallery entrance holes. Following treatment, the entrance holes may be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.
Applications in Aircraft: This product can be applied in cargo areas but not in occupied aircraft cabins, unless cabins are ventilated for (3) hours before reentering.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack & Crevice Treatment Only. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
STORAGE: Store in a cool, dry area away from heat or open flame.
DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. **DO NOT PUNCTURE!** If recycling is not available, wrap the container and discard in the trash.

Manufactured by
**WATERBURY
COMPANIES, INC.**
P.O. Box 1812
Waterbury, CT 06722
Made in U.S.A.



Low 20% VOC Formulation

Invader™ HPX-20
R E S I D U A L W I T H B a y g o n ®

- Provides Rapid Control of Residential and Industrial Pests
- Quick Knockdown

KILLS: Cockroaches, Waterbugs, Spiders, Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Grain Weevils, Flour Beetles, Chocolate Moths, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites, Cluster Flies; **WOOD INFESTING PESTS** - Termites (Subterranean, Formosan, Drywood), Carpenter Ants and Carpenter Bees

FOR USE IN: Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Aircraft), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings

ACTIVE INGREDIENT:
Propoxur (CAS# 114-26-1)..... 1.00%
INERT INGREDIENTS.....99.00%
100.00%

Baygon® is a Reg. TM of the parent company Farbenfabriken Bayer GmPH, Germany.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC Propellants in aerosols.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 9444-204 • EPA Est. No. 9444-LA-1

NET WEIGHT 17 oz / 482 g

