

SPECIMEN LABEL



SPECIMEN LABEL

GRANULAR INSECT BAIT (6 lb.)

**FOR CONTROL OF ANTS, ROACHES¹ AND CRICKETS
FOR USE NEAR AND AROUND STRUCTURES AND RESIDENTIAL AREAS
RECOMMENDED FOR USE BY COMMERCIAL APPLICATORS**

ACTIVE INGREDIENT:

Hydramethylnon [Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl)phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene)hydrazone].....	1.0%
Other Ingredients:	99.0%
TOTAL:	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAXFORCE® granular insect bait is a ready-to-use product for use in and around buildings, on lawns, and other non-crop areas.* The patented formula of MAXFORCE® granular insect bait contains a special blend of foods, combined with the delayed-action stomach poison, hydramethylnon. When properly used, this bait will control many common structure-invading insects before they can enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to MAXFORCE® granular insect bait, as it will reduce the effectiveness. Expect to see fewer ants within a week.

MAXFORCE® granular insect bait controls roaches¹, crickets, silverfish, firebrats and a variety of ants including the following species: Acrobat, Argentine, Big Headed, Carpenter, Cornfield, Field, Fire², Ghost, Harvester, Odorous House, Pavement, Pharaoh, Thief. The delayed action of the active ingredient allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen, is destroyed.

This container may be used on the job site or to refill the 10 ounce service container. This container will refill approximately 10 service containers. Reuse only those service containers with current, legible labels.

PRECAUTIONARY STATEMENTS

CAUTION: HAZARDS TO HUMANS

May be harmful if swallowed. Avoid contact with skin or eyes. Applicator should wear gloves and wash hands thoroughly after handling.

FIRST AID

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

For more information, call: 1-800-426-6228.

HAZARDS TO ANIMALS

Store in a secure place. Pets may be attracted to this product. Keep pets away from treated areas for at least 24 hours after application.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL

Store in a cool, dry, secure place. Keep container closed when not in use. Avoid contamination from other insecticides. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container for any use other than this product. Wrap empty container and place in trash can.

* Do not use on other non-crop areas in California.

¹ German, American, Oriental, and Smokybrown roaches

² Native and Imported

³ Pavement, Field, Cornfield, and Harvester ants

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR USE

1. **AROUND STRUCTURES:** Sprinkle MAXFORCE® granular insect bait evenly in a 1-2 foot wide band adjacent to the structure at a rate of 0.5 oz (one tablespoon) of bait per 25 linear feet. NOTE: Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Also, be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, and around trees, wood piles and garbage receptacles. **DO NOT USE ON EDIBLE FOOD OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.** For ants, treat visible trails as well as cracks or crevices where ants may enter structure.

REFILLABLE STATIONS: This product may be used in the Maxforce Refillable Bait Stations or B&G Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests. Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil. Screw the anchor tube into the ground and lock station lid so bait is not easily accessible to children and pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

2. **BROADCAST APPLICATION:** Sprinkle MAXFORCE® granular insect bait uniformly at a rate of 1 ounce per 1800 square feet.

3. **FIRE ANTS AND OTHER MOUND BUILDING ANTS³:** Sprinkle approximately two tablespoons (1 ounce) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait.

FOR INDOOR USE:

NOTE: Avoid contamination of food, food contact surfaces and feedstuffs. Indoor applications are limited to areas that are inaccessible to children or pets such as cracks, crevices and other inaccessible areas such as wall voids, unfinished attics and crawl spaces within residential and non-residential buildings or structures and within non-food / non-feed areas of industrial, institutional, and commercial buildings, as outlined below.

Apply up to 0.5 ounces (one tablespoon) of bait per crack, crevice or other inaccessible area where insects may hide or live. Apply product using suitable application equipment (such as the Centro Bait Master.) Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

Not for use in USDA meat and poultry plants.

TOTAL NET WEIGHT 6 lb. (2.72 kg.)

Distributed by & © 1994
Maxforce Insect Control Systems
1221 Broadway
Oakland, CA 94612



EPA Reg. No. 64248-6
EPA Est. No. 39578-TX-01

MAXFORCE[®]

PROFESSIONAL INSECT CONTROL[®] GRANULAR INSECT BAIT

Material Safety Data Sheet

I Product: MAXFORCE [®] PROFESSIONAL INSECT CONTROL [®] Granular Insect Bait											
Description: HYDRAMETHYLNON BASED FOOD BAIT IN A GRANULAR FORM											
Other Designations:	Manufacturer	Emergency Telephone Number									
EPA Reg no: 64248-6	Maxforce Insect Control Systems 1221 Broadway Oakland, CA 94612	For Medical Emergencies, call Rocky Mountain Poison Center: 1-800-446-1014 For Transportation Emergencies call Chemtrec 1-800-424-9300 For inquiries/problems please call (800) 426-6228 6:30 a.m. – 4:00 p.m. PST									
II Health Hazard Data		III Hazardous Ingredients									
<p>MAXFORCE[®] Professional Insect Control[®] Granular Insect Bait may be harmful if swallowed. Avoid contact with skin or eyes.</p> <p>Untoward effects resulting from over exposure to hydramethylnon are not anticipated to occur.</p> <p>No known health conditions are aggravated by exposure to this product.</p>		<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Hydramethylnon</td> <td>1.0%</td> <td>1.4 mg/M³ (TWA)*</td> </tr> <tr> <td colspan="3">CAS #67485-29-4</td> </tr> </tbody> </table> <p>None of the ingredients in this product are on the IARC, OSHA or NTP carcinogen lists.</p> <p>*American Cyanamid PEL</p>	Ingredient	Concentration	Worker Exposure Limit	Hydramethylnon	1.0%	1.4 mg/M ³ (TWA)*	CAS #67485-29-4		
Ingredient	Concentration	Worker Exposure Limit									
Hydramethylnon	1.0%	1.4 mg/M ³ (TWA)*									
CAS #67485-29-4											
IV Special Protection and Precautions		V Transportation and Regulatory Data									
<p>Keep Out of Reach of Children or Pets.</p> <p>Applicator should wear gloves and wash hands thoroughly after handling.</p> <p>Avoid prolonged exposure to sunlight (Active will degrade).</p> <p>Do not apply directly to water.</p>		<p>U.S. DOT Hazard Class: Not restricted</p> <p>U.S. DOT Proper Shipping Name: Insecticide, non-toxic, solid.</p> <p>EPA CERCLA/SARA TITLE III Superfund Amendment and Reauthorization Act:</p> <p>This product contains no CERCLA/SARA Title III Materials.</p>									
VI Spill Procedures/Waste Disposal		VII Reactivity Data									
<p>Non-hazardous waste.</p> <p>Sweep up spilled material.</p> <p>Place in a container for disposal.</p> <p>Do not contaminate water, food or feed by disposal.</p> <p>Dispose in accordance with Local, State, and Federal regulations.</p>		<p>Stable under normal use and storage conditions.</p>									
VIII Fire and Explosion Data		IX Physical Data									
<p>Not flammable or Explosive.</p> <p>Flash Point: >200°F (TCC)</p> <p>Fire Extinguishing Media: Water, Foam, CO₂ or dry chemical.</p>		<p>Specific gravity: .60 g/ml</p> <p>Melting Point: >60° C</p>									