

SPECIMEN LABEL



SPECIMEN LABEL

ROACH KILLER SMALL BAIT STATIONS

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Hydramethylnon: tetrahydro-5, 5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene) hydrazone ...2.00%

Inert Ingredients:98.00%

TOTAL:100.00%

CONTAINS: 72 Child-Resistant Bait Stations

CAUTION: KEEP OUT OF REACH OF CHILDREN

MAXFORCE® Roach Killer Bait Stations may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where cockroaches are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, nursing homes, schools, daycare centers, health care facilities, aircraft, basements, laboratories, computer and electronic equipment facilities, pet shops, zoos, buses, boats and trains. MAXFORCE® has an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum.

PRECAUTIONARY STATEMENTS

CAUTION: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. May be harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of emergency, call day or night, 1-800-426-6228.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from container. Wrap used container and put in a trash can.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the bottom label to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners.
4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within two weeks.
6. Inspect all bait stations and replace as needed for continual control of roaches.

TOTAL NET WEIGHT

3.81 oz. (108g.)

Distributed by: 1997



1221 Broadway
Oakland, CA 94612

EPA Reg. No. 64248-1
EPA Est. No. 5813-MS-01
Product Code No. 48000



Material Safety Data Sheet

I Product: MAXFORCE® Professional Insect Control® Roach Killer Small Bait Stations								
Description: HYDRAMETHYLNON BASED FOOD BAIT IN A CHILD-RESISTANT PLASTIC STATION								
Other Designations:	Manufacturer	Emergency Telephone Number						
EPA REG NO: 64248-1 Maxforce PIC RK Bait Stations - Lg Maxforce PIC RK Inspectable Bait Stations - Sm	Maxforce Insect Control Systems 1221 Broadway Oakland, CA 94612	For Medical Emergencies, Call Rocky Mountain Poison Center (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300 For inquiries/problems please call (800) 426-6228 6:30 a.m. - 4:00 p.m. PST						
II Health Hazard Data		III Hazardous Ingredients						
<p>MAXFORCE® Professional Insect Control® Roach Killer bait may be minimally irritating to skin following prolonged direct contact. It is not acutely toxic upon oral or dermal exposure.</p> <p>Untoward effects resulting from over-exposure are not anticipated to occur. The formulation is packaged in a child-resistant container.</p> <p>No known health conditions are aggravated by exposure to this product.</p> <p>Bait wt. per station: Small 1.50 grams Large 4.50 grams</p>		<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Hydramethylnon</td> <td>2.0%</td> <td>1.4 mg/M³ (TWA)*</td> </tr> </tbody> </table> <p>Cas Reg No. 67485-29-4</p> <p>None of the ingredients in this product are on the IARC, OSHA or NTP carcinogens lists.</p> <p>*American Cyanamid PEL</p>	Ingredient	Concentration	Worker Exposure Limit	Hydramethylnon	2.0%	1.4 mg/M ³ (TWA)*
Ingredient	Concentration	Worker Exposure Limit						
Hydramethylnon	2.0%	1.4 mg/M ³ (TWA)*						
IV Special Protection and Precautions		V Transportation and Regulatory Data						
<p>None.</p> <p>Keep Out of Reach of Children and Pets.</p>		<p>U.S. DOT Hazard Class: Not restricted</p> <p>U.S. DOT Proper Shipping Name: Insecticide, non-toxic, solid. Not restricted.</p> <p>USDA: Authorized by USDA for use in Federally inspected meat, poultry, and shell egg grading plants. Approved F2: Residual pesticide.</p> <p>EPA CERCLA/SARA TITLE III: This product contains no CERCLA/SARA Title III Materials.</p>						
VI Spill or Leak Procedures		VII Reactivity Data						
<p>Non-hazardous waste. Sweep up spilled material. Place in a container for disposal. Dispose in accordance with Local, State, and Federal regulations.</p>		<p>Stable under normal use and storage conditions.</p>						
VIII Fire and Explosion Data		IX Physical Data						
<p>Not flammable or Explosive. Flash Point: >200°F (TCC) Fire Extinguishing Media: Water, Foam, CO₂ or dry chemical.</p>		<p>Specific gravity: 1.4 g/ml Melting Point: 60° C</p>						