

Front Panel



**ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES**

**ACTIVE INGREDIENT:**

2-(1-Methylethoxy)phenol methylcarbamate ..... 19.6%

**INERT INGREDIENTS:** ..... 80.4%

**TOTAL:** 100.0%

Contains 1.5 Lbs. 2-(1-Methylethoxy)phenol methylcarbamate per gallon

**PRENTOX**® — Registered Trademark of Prentiss Incorporated

**PRENBAY**™ — Trademark of Prentiss Incorporated

**STOP - Read the Label Before Use.  
Keep Out of Reach of Children**

**DANGER**

(See Inside for Additional Precautionary Statements.)

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other heat.

**PELIGRO**

**PRECAUCION AL USUARIO:** Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

**STATEMENTS OF PRACTICAL TREATMENT**

**If in eyes:** Hold eyelids open and flush with plenty of water. Get medical attention. **If swallowed:** Call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (½oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. **If on skin:** Wash skin immediately with soap and water. **If inhaled:** Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

EPA Reg. No. 655-796

8/98

EPA Est. No. 655-GA-1

Net Contents:

Manufactured by:

**PRENTISS INCORPORATED**

Plant: Kaolin Road, Sandersville, GA 31082

Office: C.B. 2000, Floral Park, NY 11002-2000

# PRENTOX<sup>®</sup> PRENBAY<sup>™</sup> 1.5 EC

**ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES**

**ACTIVE INGREDIENT:**

2-(1-Methylethoxy)phenol methylcarbamate ..... 19.6%

**INERT INGREDIENTS:** ..... 80.4%

**TOTAL** ..... 100.0%

Contains 1.5 Lbs. 2-(1-Methylethoxy)phenol methylcarbamate per gallon

**PRENTOX<sup>®</sup>** — Registered Trademark of Prentiss Incorporated

**PRENBAY<sup>™</sup>** — Trademark of Prentiss Incorporated

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

(See Inside for Additional Precautionary Statements.)

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other heat.

**PELIGRO**

**PRECAUCION AL USUARIO:** Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

**STATEMENTS OF PRACTICAL TREATMENT**

**If in eyes:** Hold eyelids open and flush with plenty of water. Get medical attention. **If swallowed:** Call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (½oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. **If on skin:** Wash skin immediately with soap and water. **If inhaled:** Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER**

Causes irreversible eye damage. May be fatal if swallowed and harmful if inhaled. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove and wash all contaminated clothing with soap and hot water before reuse. Do not contaminate food.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label.

**PHYSICAL/CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Read these entire Directions and Conditions of Sale before using PRENTOX<sup>®</sup> PRENBAY<sup>™</sup> 1.5 EC.

**CONDITIONS OF SALE:** THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. PRENTISS INCORPORATED OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT

SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF PRENTISS INCORPORATED AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

PRENTOX<sup>®</sup> PRENBAY<sup>™</sup> 1.5 EC gives excellent control of ants, cockroaches, clover mites, crickets, earwigs, fleas (exterior structural surfaces), mosquitoes (exterior structural surfaces), flies, hornets, millipedes, saw-toothed grain beetles (exposed stage), scorpions, silverfish, sowbugs, spiders, brown dog ticks, wasps, waterbugs, punkies and sand flies. It provides good flushing action of cockroaches, rapid knockdown and long residual control of these and the other insects. PRENTOX<sup>®</sup> PRENBAY<sup>™</sup> 1.5 EC will also control strains of cockroaches and mosquitoes resistant to certain chlorinated hydrocarbon and organophosphate insecticides. PRENTOX<sup>®</sup> PRENBAY<sup>™</sup> 1.5 EC mixes readily with water and may be applied with most types of hand or power operated sprayers. Agitate spray mixture frequently. Do not apply this product using a trigger pump sprayer.

**Do not formulate this product into other end use products.**

**NOTE:** Do not use in fiberglass tanks. The spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly before and after use.

**INDOORS:**

**Pest Control in Homes, Apartment Buildings, Stores and Warehouses:** For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs and to aid in control of saw-toothed grain beetles (exposed stage), mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water\* (1.1% concentration). Apply as a coarse spray to control the above listed pests. Spray cracks, crevices, along baseboards, door and window sills, as well as inaccessible areas behind stoves, refrigerators, around garbage cans, compactors, and utility installations. DO NOT spray open floor areas, carpets, furniture, beds, or bedding. For ants, spray trails and places where ants enter premises. Repeat as necessary. Do not spray foodstuffs or house plants. DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED.

**Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served):** For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetles (exposed stage), mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water\* (1.1% concentration).

**Non-Food Areas:** Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, office, locker rooms, machine rooms, boiler rooms, garage, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

**Food Areas: LIMITED TO CRACK AND CREVICE TREATMENT ONLY** — Apply a small amount of material as a pin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this in conduits, motor housings, and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.** Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective control program.

**EXTERIOR STRUCTURAL SURFACES**

**Residual Spray** for Ants, Cockroaches, Earwigs, Flies, Hornets, Millipedes, Mosquitoes, Spiders, Crickets, Clover Mites, Fleas, Scorpions, Sawbugs, Brown Dog Ticks, Wasps, and Waterbugs.

Mix 8 fluid ounces (½ pint) of PRENTOX® PRENBAY™ 1.5 EC in 1 gallon of water\* (1.1% concentration) and apply as a residual spray to surfaces of buildings, porches, window frames, and garages. Apply around foundations, patios, driveways, and sidewalks as a spot treatment where insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not apply as a landscape treatment to lawns, shrubs or trees, or to garden plants. To control Sand Flies or Punkies (Culicoides spp), mix 8 fluid ounces (1/2 pint) of Prentox Prenbay 1.5 EC in 1 quart of water\* (4.5% concentration). Remove screens from areas where insects may enter buildings and spray in an area where no children are present. Allow screens to dry thoroughly before replacing.

Concentration Required	MIXING CHART		
	Fluid Ounces of PRENBAY™ 1.5 EC to Add to:		
	1 Gallon U.S.	3 Gallons U.S.	10 Gallons U.S.
1.1%	8 (½ pint)	24 (1½ pints)	80 (5 pints)
4.5%	32 (2 pints)	96 (6 pints)	320 (20 pints)

**RESTRICTIONS**

Since this is a water suspension material, do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or watermarked. The solvents of this formulation may stain certain plastic, rubber, and asphalt materials, such as tiles and floor coverings. Do not treat such materials without first testing a small inconspicuous area. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use on plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

**STORAGE AND DISPOSAL**

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Do not store below 32° F. Keep away from direct sunlight, radiators, stoves and other heat. Store in original container and out of the reach of children, preferably in a locked storage area. Handle an open container in a manner as to prevent spillage. If container is leaking, invert to prevent leakage. If the container is leaking or material is spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away.**

Adhesive Panel



**PRENBAY™ 1.5 EC**

**ONLY FOR SALE TO, USE AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS OR COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF CERTAIN SPECIFIED CRAWLING HOUSEHOLD INSECTS, FLIES, AND MOSQUITOES**

**ACTIVE INGREDIENT:**

2-(1-Methylethoxy)phenol methylcarbamate ..... 19.6%

**INERT INGREDIENTS:** ..... 80.4%

**TOTAL:** ..... 100.0%

Contains 1.5 Lbs. 2-(1-Methylethoxy)phenol methylcarbamate per gallon

**PRENTOX®** — Registered Trademark of Prentiss Incorporated

**PRENBAY™** — Trademark of Prentiss Incorporated

**STOP - Read the Label Before Use.**

**Keep Out of Reach of Children**

**DANGER**

(See Inside for Additional Precautionary Statements.)

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other heat.

**PELIGRO**

**PRECAUCION AL USUARIO:** Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

**STATEMENTS OF PRACTICAL TREATMENT**

**If in eyes:** Hold eyelids open and flush with plenty of water. Get medical attention. **If swallowed:** Call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (½oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. **If on skin:** Wash skin immediately with soap and water. **If inhaled:** Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

EPA Reg. No. 655-796

898

EPA Est. No. 655-GA-1

Net Contents:

Manufactured by:

**PRENTISS INCORPORATED**

Plant: Kaolin Road, Sandersville, GA 31082

Office: C.B. 2000, Floral Park, NY 11002-2000