

Prescription Treatment® brand

PRO-CONTROL® PLUS

Total Release Aerosol Insecticide

Formula 1

One 6 oz. can treats up to 5000 cu. ft. of unobstructed space (25' x 25' x 8')

KILLS: Roaches, Silverfish, Fleas, Spiders, Ants, Crickets, Houseflies, Ticks, Black Carpet Beetles, Small Flying Moths, Saw-Toothed Grain Beetles, Rice Weevils, Pillbugs, Mosquitoes, Wasps, Hornets, Yellow Jackets, Gnats, Earwigs.

FOR USE IN: Apartments, Attics, Basements, Buses, Cabins, Campers, Non-food/feed areas of commercial buildings, Garages, Hospitals*, Hotels, Houses, Kennels, Motels, Nursing homes*, Office buildings, Railroad cars, Schools**, Sheds, Ships, Storage areas, Truck trailers, Warehouses, Zoos.

*Do not apply this product in any rooms while occupied by patients, the elderly or infirm.

**Do not apply to classrooms when in use.

ACTIVE INGREDIENTS:

Pyrethrins	0.500%
Cyfluthrin (Cyano-(4-fluoro-3-phenoxyphenyl)-methyl-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate)	0.100%
Technical Piperonyl butoxide*	1.000%

INERT INGREDIENTS: 98.400%

*Equivalent to min. 0.9% (butylcarbityl)(6-propylpiperonyl) ether and max. 0.1% related compounds.

Contains Sodium Nitrite.

EPA Reg. No. 499-462 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See below for additional precautionary statements

SHAKE WELL BEFORE USING

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

In the home, remove or cover exposed foods, dishes, utensils or wash thoroughly before use. Do not use in serving areas while food is exposed. Do not use in the food/feed areas of Commercial Food/Feed Handling Establishments, Restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets, and storage (after canning or bottling). Do not use unit in an area less than 100 cubic feet. Apply this product only as specified on this label. Re-treat as needed. Use additional foggers for remote areas or where free flow of mist is not assured.

STORAGE & DISPOSAL

Store and use at room temperature.

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash. Do not puncture or incinerate.

- 1 OPEN** cabinets, cupboards, drawers, closets and doors in areas to be treated. **REMOVE** or cover exposed foods, dishes, utensils, food processing equipment and surfaces. Clean thoroughly before reuse. **REMOVE** pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. **COVER** waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspapers may be used).
- 2 CLOSE** outside doors and windows. **SHUT OFF** fans and air conditioners. Extinguish all flames and pilot lights. Turn off electrical equipment in area being treated. Do not smoke while using. Do not use as a fogger in a cabinet or under a counter or table. Use only one can in rooms 12' x 12' or smaller.
- 3** Place a chair, table or stand in the center of the area to be fogged. Cover with several layers of newspaper.
- 4 SHAKE CAN WELL.** Tilt sprayer **AWAY** from face (container sprays straight up). Press tab down in locked position.
- 5** Set fogger on covered stand. Immediately leave treated area.
- 6** Keep treated area closed for at least two hours. Before re-occupying area, open all doors and windows and allow treated area to air for 30 minutes.

PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash off with soap and water. Get medical attention if irritation persists. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Do not remain in enclosed area after use. Stay out of room being treated for at least two hours. Ventilate enclosed area before returning. Avoid contamination of food and food-stuffs. All food preparation surfaces should be covered during application. Apply only when no food is being prepared. Remove pets and birds, cover and turn off fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting. When fogging DO NOT place in small enclosed areas or restricted spaces such as cabinets, closets or under tables. Use only one can in rooms 12' x 12' or smaller.

Contains no CFCs or other ozone depleting substances. Federal regulation prohibit the use of CFC propellants in aerosols.



A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com

© 1998 Whitmire Micro-Gen Research Laboratories, Inc.

Revised: 11/98