

SPECIMEN LABEL

SPECKOZ™

EVERCIDE®

Total Release Aerosol

Water Base Formula

For Use in Homes, Rooms and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings, Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels, Hospitals and Kennels.

One Unit Treats Up To 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
* Piperonyl butoxide, Technical.....	0.100%
** N-Octylbicycloheptene dicarboximide.....	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....	0.100%
*** OTHER INGREDIENTS.....	99.583%
	100.000%

* Equivalent to 0.080% (butylcarbityl)(6-propylpiperonyl) ether and 0.020% related compounds

** MGK® 264, Insecticide Synergist

*** Contains petroleum distillate

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:	Do not induce vomiting. Call a physician or Poison Control Center. Do not give anything by mouth to an unconscious person. Avoid alcohol.
IF IN EYES:	Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN:	Wash with soap and water. Get medical attention.
IF INHALED:	Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Do not induce vomiting because of aspiration pneumonia hazard.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

KEEP OUT OF REACH OF CHILDREN
CAUTION
NET CONTENTS 6 OZ.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash with soap and warm water after use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable



Ingrediente Altamente

Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

DO NOT use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

Do not apply when food processing facility is in operation or foods are exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are places where prepared foods are served, such as dining rooms, but not excluding areas where foods may be prepared or held.

Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not treat establishments where livestock feed is present.

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, houseflies, mosquitoes, rice weevils, saw-toothed grain beetles, small flying moths, sow bugs, spiders and ticks.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling). Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

DOT 2Q

SPECKOZ™ - Trademark of SPECKOZ, Inc.
EVERCIDE, MGK® - Registered trademark of McLaughlin Gormley King Co.

Manufactured for SPECKOZ
100 North Point Center, Suite 330, Alpharetta GA 30022
Product 2602-01
EPA Reg. No. 1021-1635-72113EPA Est. No. 58996-MO-1